

### **DURALAC JOINTING COMPOUND**

Page: 1

Compilation date: 16/01/2018

Revision No: 13

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: DURALAC JOINTING COMPOUND

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: FOR INDUSTRIAL OR PROFESSIONAL USE ONLY

### 1.3. Details of the supplier of the safety data sheet

Company name: Llewellyn Ryland Ltd

Haden Street Birmingham B12 9DB

United Kingdom

Tel: +44 (0)121 440 2284
Fax: +44 (0)121 440 0281

Email: technical@llewellyn-ryland.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44 (0)121 440 2284

(office hours only)

## **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 3: H226; Acute Tox. 4: H302; Aquatic Chronic 3: H412; STOT RE 1: H372; -:

EUH066; -: EUH208

Most important adverse effects: Repeated exposure may cause skin dryness or cracking. Contains 2-butanone oxime,

cobalt 2+ salts of fatty acids. May produce an allergic reaction. Flammable liquid and vapour. Harmful if swallowed. Causes damage to organs through prolonged or

repeated exposure. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

## Label elements:

Hazard statements: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains 2-butanone oxime, cobalt 2+ salts of fatty acids. May produce an

allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H372: Causes damage to organs through prolonged or repeated exposure.

H412: Harmful to aquatic life with long lasting effects.

**DURALAC JOINTING COMPOUND** 

Page: 2

Hazard pictograms: GHS07: Exclamation mark

GHS02: Flame

GHS08: Health hazard







Signal words: Danger

Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233: Keep container tightly closed.

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P403+235: Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

## 3.2. Mixtures

# Hazardous ingredients:

#### **BARIUM CHROMATE**

EINECS	CAS	PBT / WEL	CLP Classification	Percent
233-660-5	10294-40-3	-	Acute Tox. 4: H302+332	10-30%

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%) - REACH registered number(s): 01-2119458049-33

919-446-0	-	-	STOT SE 3: H336; STOT RE 1: H372;	10-30%
			Aquatic Chronic 2: H411; Asp. Tox. 1:	
			H304; Flam. Liq. 3: H226; -: EUH066	

#### 2-BUTANONE OXIME

202-496-6	96-29-7	-	Carc. 2: H351; Acute Tox. 4: H312; Eye	<1%
			Dam. 1: H318; Skin Sens. 1: H317	

# ZIRCONIUM SALTS OF FATTY ACIDS - REACH registered number(s): 01-2119979088-21

245-018-1 22464-99-9	-	Repr. 2: H361fd	<1%
----------------------	---	-----------------	-----

### **DURALAC JOINTING COMPOUND**

Page: 3

#### **COBALT 2+ SALTS OF FATTY ACIDS**

270-066-5	68409-81-4	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<1%
			Skin Sens. 1: H317; Aquatic Chronic 2:	
			H411	

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Inhalation: No data available.

Delayed / immediate effects: No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool

containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid. Eliminate all sources of ignition.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

**DURALAC JOINTING COMPOUND** 

Page: 4

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Do not use equipment in clean-up procedure which

may produce sparks.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Smoking is forbidden. Use non-sparking tools.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Ensure lighting and electrical equipment are not a source of ignition.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Workplace exposure limits: No data available.

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Use respiratory equipment applicable to the hazardous components and their exposure

limits

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid Colour: Yellow

**DURALAC JOINTING COMPOUND** 

Page: 5

Odour: Characteristic odour

Viscosity: Viscous

Boiling point/range°C: >35 Flash point°C: 23 - 55

#### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

## Hazardous ingredients:

## **2-BUTANONE OXIME**

ORL	MUS	LD50	1	gm/kg
ORL	RAT	LD50	930	mg/kg
SCU	RAT	LD50	2702	mg/kg

#### Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

### Symptoms / routes of exposure

Skin contact: No data available.

Eye contact: No data available.

**DURALAC JOINTING COMPOUND** 

Page: 6

Ingestion: No data available.
Inhalation: No data available.
Delayed / immediate effects: No data available.

## **Section 12: Ecological information**

### 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

### 12.4. Mobility in soil

Mobility: No data available.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: No data available.

### Section 13: Disposal considerations

## 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1263

# 14.2. UN proper shipping name

Shipping name: PAINT RELATED MATERIAL

## 14.3. Transport hazard class(es)

Transport class: 3

# 14.4. Packing group

Packing group: |||

### **DURALAC JOINTING COMPOUND**

Page: 7

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: Yes

#### 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E
Transport category: 3

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

#### Section 16: Other information

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H302+332: Harmful if swallowed or if inhaled.

H304: May be fatal if swallowed and enters airways.

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.